

Application No. 09/520,435  
Response date May 21, 2004  
Reply to Office Action of February 5, 2004

### AMENDMENTS TO THE CLAIMS

1. (currently amended) A method in a computer system for transferring a compressed data file from a software application running within the computer system to a peripheral device printer in communication with the computer system, said method comprising:

receiving a request to transfer a compressed data file to the peripheral device printer from the software application;

determining whether the peripheral device printer is configured to decompress the compressed data file;

if the peripheral device printer is configured to decompress the compressed data file, obtaining the compressed data file from the software application; and

transferring the data file to the peripheral device printer via a device driver interface.

2. (previously presented) The method as recited in claim 1, wherein said receiving a request to transfer a compressed data file includes receiving a data structure from the software application, the data structure containing an indication of a classification of the compressed data file format and a pointer to the compressed data file.

3. (currently amended) The method as recited in claim 1, wherein said determining whether the peripheral device printer is configured to decompress the compressed data file further comprises:

obtaining a device file decompression configuration data structure, the data structure containing data indicative of compressed data file formats supported by the peripheral device printer; and

Application No. 09/520,435  
Response date May 21, 2004  
Reply to Office Action of February 5, 2004

determining whether the file decompression configuration data structure indicates whether the peripheral device printer is configured to decompress the compressed data file.

4. (currently amended) The method as recited in claim 3, wherein said determining whether the file decompression configuration data structure indicates whether the peripheral device printer is configured to decompress the compressed data file includes:

passing a compressed data file pointer to the peripheral device printer; and  
receiving an indication whether the peripheral device printer is configured to decompress the compressed data file.

5. (previously presented) The method as recited in claim 1, wherein said transferring includes performing coordinate transformations to the data file.

6. (previously presented) The method as recited in claim 1, wherein said transferring includes performing file processing to the data file.

7. (Original) The method as recited in claim 1, wherein the compressed data file is a compressed data image.

8. (Original) The method as recited in claim 7, wherein the compressed data image file is a JPEG image.

9. (Original) The method as recited in claim 7, wherein the compressed data image file is a PNG image.

Application No. 09/520,435  
Response date May 21, 2004  
Reply to Office Action of February 5, 2004

10. (currently amended) The method as recited in claim 1 further comprising receiving an uncompressed data file from the software application if the peripheral device printer is not configured to receive the compressed data file.

11. (previously presented) One or more computer-readable media having computer-readable instructions for performing the method recited in claim 1.

12. (previously presented) A computer system having a memory, an operating system and a central processor being operable to execute the method recited in claim 1.

13. (currently amended) One or more computer-readable media having computer-executable components comprising:

(a) a device support query component for determining whether a device printer is configured to decompress a compressed data file associated with an application;

(b) an application interface component for receiving the compressed data file from the application; and

(c) a device interface component for transferring the compressed data file to the device printer.

14. (previously presented) The media of claim 13, wherein said application interface component includes a compressed data file information transformation component for manipulating data within the compressed data file.

15. (currently amended) A method in a computer system for transferring a compressed data image file from a software application running within the computer system to a device printer in communication with the computer system, said method comprising:

Application No. 09/520,435  
Response date May 21, 2004  
Reply to Office Action of February 5, 2004

receiving a file query from the software application, the file query containing a pointer to a compressed data image file and a designation of a type of compressed data image file;

comparing the designation of compressed data image file with a data structure containing data indicative of types of compressed data image files supported by the device printer;

if the device printer supports the compressed data image file format, passing a pointer to the compressed data image file and the designation of a type of compressed data image file to query for to the device printer;

if the device printer is configured to decompress the compressed data file, returning an answer;

obtaining a data structure having data indicative of the compressed data image file from the software application; and

upon obtaining the data structure, transferring the data image file to the device printer via a device driver interface.

16. (previously presented) The method as recited in claim 15, wherein said transferring includes performing coordinate transformations to the data image file.

17. (previously presented) The method as recited in claim 15, wherein said transferring includes performing image processing to the data image file.

18. (previously presented) The method as recited in claim 15, wherein said transferring includes passing the transferred compressed image file in a data structure.

Application No. 09/520,435  
Response date May 21, 2004  
Reply to Office Action of February 5, 2004

19. (Original) The method as recited in claim 15, wherein the compressed data image file is a JPEG compressed data image file.
20. (Original) The method as recited in claim 15, wherein the compressed data image file is a PNG compressed data image file.
21. (currently amended) The method as recited in claim 15, further comprising returning a negative answer and receiving an uncompressed data image file from the software application if the device printer is not configured to receive the compressed data image file.
22. (previously presented) One or more computer-readable media having computer-readable instructions for performing the method recited in claim 15.
23. (previously presented) A computer system having a memory, an operating system and a central processor being operable to execute the method recited in claim 15.
24. (Original) The method as recited in claim 15, wherein the file query, the query response and the file transfer are facilitated by a graphics driver interface and a hardware device driver.
25. (currently amended) The method as recited in claim 24, wherein said hardware device is a printer and said device driver is a printer driver.
26. (currently amended) A method in a computer system for transferring a compressed data file from a software application running within the computer system to a device printer in communication with the computer system, said method comprising:

Application No. 09/520,435  
Response date May 21, 2004  
Reply to Office Action of February 5, 2004

requesting a determination whether the device printer is configured to decompress the compressed data file;

receiving a response whether the device printer is so configured; and if the device printer is configured to decompress the compressed data file, transferring the compressed data file to the device printer.

27. (previously presented) The method as recited in claim 26, wherein said requesting includes passing a pointer to the compressed data file and an indication of a type of compressed data file to the computer system.

28. (currently amended) The method as recited in claim 26, wherein said transferring includes passing the compressed data file to the device printer via a data structure.

29. (currently amended) The method as recited in claim 26 further comprising decompressing the compressed data file and transferring the uncompressed data file to the device printer if the device printer is not configured to decompress the compressed data file.

30. (Original) The method as recited in claim 26, wherein the compressed data file is a compressed data image file.

31. (Original) The method as recited in claim 30, wherein the compressed data image file is a JPEG compressed data image file.

32. (Original) The method as recited in claim 30, wherein the compressed data image file is a PNG compressed data image file.

33. (previously presented) One or more computer-readable media having computer-readable instructions for performing the method recited in claim 26.

Application No. 09/520,435  
Response date May 21, 2004  
Reply to Office Action of February 5, 2004

34. (previously presented) A computer system having a memory, an operating system, and a central processor being operable to execute the method recited in claim 26.

35. (currently amended) One or more computer-readable media having stored thereon a data structure, comprising:

(a) a first field containing data indicating a classification of a compressed data file;

(b) a second field containing data indicative of a property of the compressed data file; and

(c) a third field containing data indicative of whether a device printer is configured to decompress the compressed data file.

36. (Original) The data structure recited in claim 35, wherein the first field includes data indicating an escape function identifying the classification of the compressed data file.

37. (Original) The data structure recited in claim 35, wherein the first field includes a numeral identifying the classification of the compressed data file.

38. (Original) The data structure recited in claim 35, wherein the second field includes a pointer to a compressed data file stored in a memory.

39. (Original) The data structure recited in claim 35, wherein the second field includes an address to a compressed data file.

40. (Original) The data structure recited in claim 35, wherein the second field includes a copy of the compressed data file.

Application No. 09/520,435  
Response date May 21, 2004  
Reply to Office Action of February 5, 2004

41. (Original) The data structure recited in claim 35, wherein the third field includes a numeral indicative of whether the device printer is configured to decompress the compressed data file.

42. (image) The data structure recited in claim 35, wherein the compressed data file is a compressed data image file and the device is a printer.

43. (Original) The data structure recited in claim 42, wherein the compressed data image file is a JPEG compressed data image file.

44. (Original) The data structure recited in claim 42, wherein the compressed data image file is a PNG compressed data image file.

45. (currently amended) A method in a computer system for rendering a compressed data file on a peripheral device printer in communication with a computer system, said method comprising:

receiving a request to send a compressed data file to the peripheral device printer;

determining whether the peripheral device printer is configured to decompress the compressed data file; and

if the peripheral device printer is configured to decompress the compressed data file, sending the compressed data file to the peripheral device printer, whereby the peripheral device printer can render the compressed data file; but

Application No. 09/520,435  
Response date May 21, 2004  
Reply to Office Action of February 5, 2004

if the ~~peripheral device~~ printer is not configured to decompress the compressed data file, then uncompressing the compressed data file and sending the uncompressed data file to the ~~peripheral device~~ printer.

46. (previously presented) The method as recited in claim 45, wherein receiving said request includes receiving a data structure from the software application, the data structure containing an indication of a type of the compressed data file format and a pointer to the compressed data file.

47. (currently amended) The method as recited in claim 46, wherein said determining whether the ~~peripheral device~~ printer is configured to decompress the compressed data file further comprises:

obtaining a decompressing-configuration data structure, the data structure containing data indicative of compressed-data-file formats supported by the ~~peripheral device~~ printer; and

determining whether the file decompressing-configuration data structure indicates whether the ~~peripheral device~~ printer is configured to decompress the compressed data file.

48. (currently amended) The method of claim 45, wherein said ~~peripheral device~~ printer includes a rendering device.

49. (cancelled)

50. (cancelled)

51. (cancelled)

MAY. 21. 2004 4:26PM

NO. 9264 P. 12/15

Application No. 09/520,435  
Response date May 21. 2004  
Reply to Office Action of February 5, 2004

52. (cancelled)

53. (cancelled)